

RHONDA DAUPHIN JOHNSON, CMC MUNICIPAL CLERK

February 11, 2005

55 TRINITY AVENUE, S.W. SECOND FLOOR, EAST **SUITE 2700** ATLANTA, GEORGIA 30335 (404) 330-6033 FAX (404) 658-6103

Judith P. Marine 2014 Brookview Dr., NW Atlanta, GA 30318

05-R-0174

Dear Ms. Marine:

I sincerely regret that you have been adversely affected by the circumstances raised in your claim for damages against the City of Atlanta. Your time and patience in this matter has been greatly appreciated.

However, I must notify you that the Atlanta City Council Adopted an Adverse Report on your claim at its regular meeting on February 07, 2005. In consultation with the City's Law Department, who conducted an investigation of the situation, the Council has determined that the City cannot accept responsibility for this matter and therefore cannot pay this claim.

If you desire any further information, please contact the City Attorney's Office/Claims Division at (404) 330-6400.

Sincerely,

Rhonda Doughin Johnson Rhonda Dauphin Johnson, CMC

Municipal Clerk

cc: Claims Division/Law Department

## Atlanta City Council

## Regular Session

CONSENT I PG(S) 3-16 EXCEPT 05-R-0109 05-R-0126 ADOPT

YEAS: 12
NAYS: 0
ABSTENTIONS: 0
NOT VOTING: 4
EXCUSED: 0
ABSENT 0

Y	Smith	Y	Archibong	Y	Moore	Y	Mitchell
Y	Starnes	Y	Fauver	NV	Martin	Y	Norwood
Y	Young	NV	Shook	Y	Maddox	Y	Willis
Y	Winslow	Y	Muller	NV	Sheperd	NV	Borders

Entered – 05/20/04 - sb CL04L0317 - DIANNE C. MITCHELL

CLAIM OF: JUDITH P. MARINE

Brookview Drive, NW Atlanta, Georgia 30318 **05-** *₹* **-0174** 

For damages alleged to have been sustained as a result of property damage due to the flushing of a fire hydrant on April 30, 2004 at 2014 Brookview Drive, NW.

THIS ADVERSED REPORT IS APPROVED

BY:

JERRY L. DELOACH DEPUTY CITY ATTORNEY



## **ADVERSE REPORT**

PUBLIC SAFTEY &

EGAL ADMINISTRATION COMMITTEE

Calla And

June m. Thepark